



STANDARD BAR SETUP GUIDE





Table of contents:
- Part List
- Set Up Guide


- **Read all the instructions before installing.**
- **Remove all packing materials before you start.**
- **Remove all protection films from acrylic panels.**
- **This installation requires basic mechanical skills.**
- **Proper installation is the responsibility of the installer.**
- **Product failure due to improper installation is not covered under the warranty.**
- **Keep this instruction manual.**

Note: Two persons required to setup this bar.

Main Frame
QTY: 1




Ice Bin
QTY: 2




Cover
QTY: 1

See page 7


Speed Rail
QTY: 1




Loop Pin
QTY: 2




Lock Pin
QTY: 2



Cutting Board
QTY: 2



Acrylic Panel
QTY: 4




Note: Parts are not to scale.

Note: You may lower down the levelers during the set up process to help ease the installation.

Levelers are located on both sides of the bottom part of the back panel.


STEP 1: Remove the speed rail from the bottom.

Figure 1




STEP 2: Remove loop pins P1 and P2 to release the counter top.

Figure 2




STEP 3: Flip the counter top as shown below.



Figure 3



STEP 4: Pull down the spring latches P3 and P4 to release the side frames.

Figure 4






Note: Place the loop pins you removed on Step 2 underneath the counter as shown.


STEP 5: Pull the spring latches **P5** and **P6** to release the table frame and flip the table up.

Figure 5





STEP 6: Lock the table into place using the same spring latches **P5** and **P6**.

Figure 6




STEP 7: Flip the shelf up and lock it into place using two lock pins **P7** and **P8**.

Figure 7



STEP 8: Lastly, hang speed rail from the posts on both sides of the bar and install your provided plastic ice bins or stainless steel ice bins if you opted for the add-on. Be careful when installing ice bins to prevent damage to the bar.

Figure 8



Stainless Steel Ice Bins can be equipped with a gray water tank. If you opted in for this add on, place the gray water tank on the bottom shelf. Make sure the drain attachment is installed tightly and to place drain hose in the tank's opening.





Figure 10. Full Assembly.




Notes to remember

*Do not move bar long distances fully stacked.
Do not roll bar over uneven surfaces.
Two persons required to move bar.*

How to remove the acrylic panels if needed


Back Panel

STEP 1: Remove screws **S1** and **S2**. Then remove the tab as shown below.




STEP 2: Pull up the acrylic panel.

Note: Remove protection film from acrylic.




ON ACRYLIC PANELS ONLY

Remove the brown protective film on one or both sides before installing the panels, otherwise, the panels could warp. If you got vinyl printing, the protective film will only be on one side. Don't remove the vinyl printing.




Side Panels

STEP 1: Remove screws **S3**, **S4** and **S5**. Then remove the side frame as shown below.




STEP 2: Slide out the side panel.



Top Panel

STEP 1: Remove screws **S6**, **S7** and **S8**. Then remove the side frame as shown below. Slide out the panel.







Contact us

Tel # 877-958-7901

Fax # 866-659-3353

E-mail: info@theportablebarcompany.com

Visit us at

www.theportablebarcompany.com

