

PROFESSIONAL BAR SETUP GUIDE





Table of contents:

- Part List
- Set Up Guide


- Read all the instructions before installing.
- Remove all packing materials before you start.
- Remove all protection films from acrylic panels.
- This installation requires basic mechanical skills.
- Proper installation is the responsibility of the installer.
- Product failure due to improper installation is not covered under the warranty.
- Keep this instruction manual.

Note: Two persons required to setup this bar.

Main Frame QTY: 1




Speed Rail QTY: 1



Cover QTY: 1




Cutting Board QTY: 2



Ice Bin QTY: 2



Lock Pin QTY: 2



Magnet Squares QTY: 2




Thumbscrews QTY: 2



Acrylic Panel QTY: 4










Note: Parts are not to scale.

Cup Holder












Paper Towel Holder






Note: All accessories attach with provided M6 screws and allen wrench.

STEP 1 Remove the counter top and speed rail.




STEP 2 Release the bottom grill by detaching the security hook.

CAUTION: BOTTOM GRILL WILL DROP DOWN AS YOU RELEASE THE HOOK



STEP 3 Swing open side frames to set it in place.

DANGER: USE CAUTION WHEN MOVING THE SIDE FRAMES TO AVOID DROPPING



STEP 4 Secure the side frames in place using two locking pins, one on each frame.




Figure 4

STEP 5 Flip the shelf up and lock it into place using the spring latches:
and
and




Figure 5

STEP 6 Flip the work surface and lock it into place using the spring latches es and es.






Figure 6

STEP 7 Place the icebins.




Note: The positions of the cutting board and the ice bins are interchangeable

STEP 8 Place the counter top. Then lock it in place using the spring latches and B. Rest the acrylic piece on top of the counter.





STEP 9 Hang the speed rail from the 3 posts located at the front tube of the top shelf, as shown below:



Folded

Note: Remember to put down the levelers before folding the bar.






Notes to remember

Do not move bar long distances fully stacked.
Roll up levelers before moving bar.
Do not roll bar over uneven surfaces.
Two persons required to move bar.


Top Panel

STEP 1: Underneath the counter you'll find two holes from where you can push the acrylic up.

Note: Remove protection film from acrylic.



STEP 2: Once up, take out the acrylic.



Note: Store acrylic counter in pocket of folded cover when not in use

Back Panel

Note: Follow setup steps in reverse order to fold down the bar.

STEP 1: Remove screws 3 and 3. Then remove the tab as shown below.





Figure 1

STEP 2: Pull up the acrylic panel.



Side Panel

Note: Follow setup steps in reverse order to fold down the bar.

STEP 1: Remove screws 3, 4, 5 and 6. Then remove the side frame as in the next step.




Figure 14

STEP 2: Slide out the side panel.




Figure 1


ON ACRILYC PANELS ONLY

Remove the brown protective film on one or both sides before installing the panels, otherwise, the panels could warp. If you got vinyl printing, the protective film will only be on one side. Don't remove the vinyl printing.




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED WITHIN THIS DOCUMENT IS THE SOLE PROPE
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION O

Use provided thumbscrews to connect multiple counters. Run each thumbscrew through the holes in the side and fully tighten.



The included magnet squares are to cover the holes on the under side of the counter, as shown. These are intended to block light from the LED system or other light sources when applicable.





Contact us

Tel # 877-958-7901 Fax # 866-659-3353

E-mail: info@theportablebarcompany.com

Visit us at

www.theportablebarcompany.com

