

PROFESSIONAL BAR SETUP GUIDE





Table of contents:

- Part List
- Set Up Guide


- Read all the instructions before installing.
- Remove all packing materials before you start.
- Remove all protection films from acrylic panels.
- This installation requires basic mechanical skills.
- Proper installation is the responsibility of the installer.
- Product failure due to improper installation is not covered under the warranty.
- Keep this instruction manual.

Note: You may need assistance of one or two persons to set up this bar.


Main Frame QTY: 1




Speed Rail QTY: 1




Cutting Board QTY: 2



Ice Bin QTY: 2




Lock Pin QTY: 2



Cover QTY: 1

See page 7


Acrylic Panel QTY: 4




Note: Parts are not to scale.


Cup Holder







Knife Holder






Paper Towel Holder






Towel Holder






Note: All accessories attach with provided M6 screws and allen wrench.


STEP 1: Remove the counter top.



STEP 2: Release the bottom grill by detaching the security hook.



STEP 3: Pull the side frames. Be careful, they will fall before you fully open them.



STEP 4: Secure the side frames in place using two locking pins, one on each frame.




Figure 4

STEP 5: Flip the shelf up and lock it into place using the spring latches: ³ and ⁴.






Figure 5

STEP 6: Flip the table and lock it into place using the spring latches and 8.




STEP 7: Place the icebins.



Note: The positions of the cutting board and the ice bins are interchangeable

STEP 8: Place the counter top. Then lock it in place using the spring latches and B. Before placing the counter top you can retain both spring latches with the inner frame for ease of placing the counter top.



STEP 9: Place the speed rail.






Figure 9


Folded

Note: Remember to put down the levelers before folding the bar.






Unfolded



Notes to remember


Do not move bar long distances fully stacked.
Roll up levelers before moving bar.
Do not roll bar over uneven surfaces.
Two persons required to move bar.

Back Panel




STEP 2: Pull up the acrylic panel.

Note: Remove protection film from acrylic.




Side Panel

STEP 1: Remove screws \$3, \$4, \$5 and \$6. Then remove the side frame as in the next step.




STEP 2: Slide out the side panel.




Top Panel

STEP 1: Remove screws 9 and 9. Then remove the tabs.




STEP 2: Pull the acrylic panel.



ON ACRILYC PANELS ONLY

Remove the brown protective film on one or both sides before installing the panels, otherwise, the panels could warp. If you got vinyl printing, the protective film will only be on one side. Don't remove the vinyl printing.







Contact us

Tel # 877-958-7901 Fax # 866-659-3353

E-mail: info@theportablebarcompany.com

Visit us at

www.theportablebarcompany.com

