



# PROFESSIONAL BAR SETUP GUIDE





Table of contents:  
- Part List  
- Set Up Guide


- **Read all the instructions before installing.**
- **Remove all packing materials before you start.**
- **Remove all protection films from acrylic panels.**
- **This installation requires basic mechanical skills.**
- **Proper installation is the responsibility of the installer.**
- **Product failure due to improper installation is not covered under the warranty.**
- **Keep this instruction manual.**

*Note: Two persons required to setup this bar.*

**Main Frame**  
QTY: 1




**Speed Rail**  
QTY: 1




**Cover**  
QTY: 1




**Cutting Board**  
QTY: 2




**Ice Bin**  
QTY: 2




**Lock Pin**  
QTY: 2





**Magnet Squares**  
QTY: 2



**Thumbscrews**  
QTY: 2





**Acrylic Panel**  
QTY: 4





*Note: Parts are not to scale.*



Cup  
Holder



Knife  
Holder



Paper  
Towel  
Holder



**Note: All accessories attach with  
provided M6 screws and allen wrench.**

**Note:** You may lower down the levelers during the set up process to help ease the installation.

Levelers are located on both sides of the bottom part of the back panel.

**STEP 1** Remove the counter top and speed rail.




Figure 1

**STEP 2** Release the bottom grill by detaching the security hook.

**CAUTION: BOTTOM GRILL WILL DROP DOWN AS YOU RELEASE THE HOOK**




Figure 2

**STEP 3** Swing open side frames to set it in place.

**DANGER: USE CAUTION WHEN MOVING THE SIDE FRAMES TO AVOID DROPPING**




Figure 3

**STEP 4** Secure the side frames in place using two locking pins, one on each frame.




Figure 4

**STEP 5** Flip the shelf up and lock it into place using the spring latches: P3 and P4.




Figure 5

**STEP 6** Flip the work surface and lock it into place using the spring latches P5 and P6.




Figure 6

**STEP 7** Place the icebins.




Figure 7

*Note: The positions of the cutting board and the ice bins are interchangeable*

**STEP 8** Place the counter top. Then lock it in place using the spring latches P7 and P8. Rest the acrylic piece on top of the counter.




Figure 8

**STEP 9** Hang the speed rail from the 3 posts located at the front tube of the top shelf, as shown below:






Figure 9

## Folded

*Note: Remember to put down the levelers before folding the bar.*



## Unfolded




### Notes to remember

*Do not move bar long distances fully stacked.  
Roll up levelers before moving bar.  
Do not roll bar over uneven surfaces.  
Two persons required to move bar.*

## Cover

Note: Make sure cover is installed as shown below.  
Cover's bag should be on the front panel bar's side





## Top Panel

**STEP 1:** Underneath the counter you'll find two holes from where you can push the acrylic up.

*Note: Remove protection film from acrylic.*




Figure 10

**STEP 2:** Once up, take out the acrylic.




Figure 11

*Note: Store acrylic counter in pocket of folded cover when not in use*

## Back Panel

*Note: Follow setup steps in reverse order to fold down the bar.*

**STEP 1:** Remove screws S1 and S2. Then remove the tab as shown below.




Figure 12

**STEP 2:** Pull up the acrylic panel.




Figure 13

## Side Panel

*Note: Follow setup steps in reverse order to fold down the bar.*

**STEP 1:** Remove screws S3, S4, S5 and S6. Then remove the side frame as in the next step.




Figure 14

**STEP 2:** Slide out the side panel.






Figure 15

## ON ACRYLIC PANELS ONLY


*Remove the brown protective film on one or both sides before installing the panels, otherwise, the panels could warp. If you got vinyl printing, the protective film will only be on one side. Don't remove the vinyl printing.*



*Use provided thumbscrews to connect multiple counters. Run each thumbscrew through the holes in the side and fully tighten.*



*The included magnet squares are to cover the holes on the under side of the counter, as shown. These are intended to block light from the LED system or other light sources when applicable.*





## **Contact us**

**Tel #** 877-958-7901

**Fax #** 866-659-3353

**E-mail:** [info@theportablebarcompany.com](mailto:info@theportablebarcompany.com)

## **Visit us at**

[www.theportablebarcompany.com](http://www.theportablebarcompany.com)

