





HEAVY DUTY STAINLESS STEEL BAR SETUP GUIDE




- **Read all the instructions before installing.**
- **Remove all packing materials before you start.**
- **This installation requires basic mechanical skills.**
- **Proper installation is the responsibility of the installer.**
- **Product failure due to improper installation is not covered under the warranty.**
- **Keep this instruction manual.**

Note: This setup requires 2 or more persons.

Main Frame
QTY: 1




Counter
QTY: 1




*Your choice of straight or
curved counter*


Speed Rail
QTY: 1




Locking Pin
QTY: 4



Folded Cover
QTY: 1



Open Cover
QTY: 1



Note: Parts are not to scale.

WARNING: Please take the bar out of the pallet with extreme caution. The bar is heavier than it looks. You will need the assistance of 2 or more persons.

TO COMPLETE THE SETUP OF THE BAR:

STEP 1: Mount the speed rail to the bar, as shown below:




Figure 1

DISASSEMBLY STEPS:

STEP 1: Dismount the speed rail.




Figure 2

STEP 2: Use the spring latches located at the sides of the counter to release it.

Note: This step requires two people.




Figure 3

CAUTION: Make sure to uninstall all accessories before folding down the working surface

STEP 3: Use the spring latches located at both sides of the shelf to release it. Do it carefully, once you release it the shelf will fold down.




Figure 4

STEP 4: Remove the locking pins located at the sides of the base panel. Then fold the side panels by slightly lifting them up.




Figure 5

STEP 5: Unscrew the star knobs located at both sides of the bar. Tighten the star knobs after folding the base,




Figure 6




Figure 7

STEP 6: Place the counter on top of the folded position of the base. Use the posts located at the sides of the counter to keep it in place.




Figure 8

STEP 7: Install lock pins in both sides of the bar as shown below:




Figure 9

If you bought accesories for your bar you can store them as shown below:




Figure 10

Note: Cover Ice Bin with provided cover before storing.





Figure 11



ACCESSORY INSTALLATION



Ice Bin

STEP 1: Set Ice Bin on a flat surface. Open lid and install drainer as shown in diagram below:




Figure 1

Note: Install provided Ice Bin waste water tank hose on drainer using hose adapter.

STEP 2: Use the spring latches located at the sides of the counter to release it.

Note: This step requires two people.




Figure 2

STEP 3: Set Ice Bin on a flat surface. Open lid and install drainer as shown in diagram below:




Figure 3

STEP 4: Slide in Ice Bin's waste water tank and make sure to fit the plastic hose in the tank's opening.




Figure 4

Umbrella holder

STEP 1: Remove speed rail if installed.




Figure 1

STEP 2: Align Umbrella holder with screw holes on either side of the bar.




Figure 2

STEP 3: Attach Umbrella holder using provided thumbscrews.




Figure 3

STEP 4: Re-install speed rail.





Figure 4

Link Kit

Part List


Back Bracket
QTY: 1



Thumbscrew
QTY: 6



Front Bracket
QTY: 1



STEP 1: Bring bars close together, as shown below:




Figure 1

STEP 2: Install back bracket as shown below. Use provided thumbscrews to attach it. Do not fully tighten thumbscrews.




Figure 2

STEP 3: Align front bracket's tab with the inner side of the frame, as shown below. Use provided thumbscrews to attach it.




Figure 3

STEP 4: Install thumbscrews underneath the counters in between the bars. One in the back side and one in the front side.




Figure 4





Figure 5




LED KIT SETUP GUIDE




- **Read all the instructions before installing.**
- **Remove all packing materials before you start.**
- **This installation requires basic mechanical skills.**
- **Proper installation is the responsibility of the installer.**
- **Product failure due to improper installation is not covered under the warranty.**
- **Keep this instruction manual.**


Counter w/LED strip
QTY: 1




Battery
QTY: 1




LED Controller
QTY: 1



Power Cord
QTY: 1



Remote Controller
QTY: 1



Note: Parts are not to scale.

STEP 1: Peel protective layer out of the velcro trapes. Install controller on the frame highlighted in blue. Make sure to place it above the working surface.

Note: LED Controller and Battery come with velcro tape pre-installed.




Figure 1

STEP 2: Install battery on the frame highlighted in blue. Make sure to place battery below the working surface. See Figure 1.

STEP 3: Connect the cable from the LED controller to the LED strip attached to the top counter via the male and female plugs.




Figure 2

Note: When disassembling and folding the bar, unplug the LED strip from the controller when removing the counter to avoid damages.

STEP 4: Plug the battery (or power cable) into the controller to turn on LED system with the provided cable.



Contact us

Tel # 877-958-7901

Fax # 866-659-3353

E-mail: info@theportablebarcompany.com

Visit us at

www.theportablebarcompany.com

